



### 2008

- SÖDERLUND-STRAND A., ET AL. (2008)** "High-throughput genotyping of oncogenic human papilloma viruses with MALDI-TOF mass spectrometry" *Clin Chem.* **54**(1):86-92.
- ZOU C.C., ET AL. (2008)** "Polymorphisms of the Ghrelin/Obestatin gene and ghrelin levels in Chinese children with short stature. *Clin Endocrinol (Oxf)*.(ePub).

### 2007

- ALI, S., ET AL. (2007)** "Polymorphisms in proinflammatory genes and susceptibility to typhoid fever and paratyphoid fever." *J Interferon Cytokine Res* **27**(4): 271-9.
- AU, W.Y., ET AL. (2007)** "G6PD deficiency from lyonization after hematopoietic stem cell transplantation from female heterozygous donors". *Bone Marrow Transplant* **40**(7): 677-81.
- COX, A., ET AL. (2007)**. "A common coding variant in CASP8 is associated with breast cancer risk." *Nat Genet* **39**(3): 352-8.
- CUMMINGS, J.R., ET AL. (2007)** "Confirmation of the role of ATG16L1 as a Crohn's disease susceptibility gene". *Inflamm Bowel Dis.* **13**(8):941-6.
- CUMMINGS, J.R., ET AL. (2007)** "Contribution of the novel inflammatory bowel disease gene IL23R to disease susceptibility and phenotype". *Inflamm Bowel Dis* **13**(9):1063-8.
- EASTELL, T., ET AL. (2007)** "SNPs in the FOXP3 gene region show no association with Juvenile Idiopathic Arthritis in a UK Caucasian population." *Rheumatology (Oxford)*.
- FU, J.F., ET AL. (2007)** "MassARRAY assay: a more accurate method for JAK2V617F mutation detection in Chinese patients with myeloproliferative disorders". *Leukemia*, ePub.
- GODDARD, K. A., ET AL. (2007)** "Candidate-gene association study of mothers with pre-eclampsia, and their infants, analyzing 775 SNPs in 190 genes." *Hum Hered* **63**(1): 1-16.



- GUMIENIAK, O., ET AL. (2007)** "Ala92 type 2 deiodinase allele increases risk for the development of hypertension." *Hypertension* **49**(3): 461-6.
- HAYES, B. J., ET AL. (2007)** "SNP detection exploiting multiple sources of redundancy in large EST collections improves validation rates." *Bioinformatics*.
- HINKS, A., ET AL. (2007)** "Investigation of genetic variation across the protein tyrosine phosphatase gene in patients with rheumatoid arthritis in the UK." *Ann Rheum Dis* **66**(5): 683-6.
- INTERNATIONAL MULTIPLE SCLEROSIS GENETICS CONSORTIUM (2007)** "Risk alleles for multiple sclerosis identified by a genomewide study" *N Engl J Med* July 31 (ePub).
- JAZDZEWSKI, K., ET AL. (2007)** "beta-2-adrenergic receptor gene polymorphism confers susceptibility to Graves disease." *Int J Mol Med* **19**(1): 181-6.
- JONES, E.S., ET AL. (2007)** "A comparison of simple sequence repeat and single nucleotide polymorphism marker technologies for the genotypic analysis of maize (*Zea mays L.*)". *Theor Appl Genet.* **115**(3):361-71.
- LAMB, R., ET AL. (2007)** "Positive association of SLC26A2 gene polymorphisms with susceptibility to systemic-onset juvenile idiopathic arthritis." *Arthritis Rheum* **56**(4): 1286-91.
- MONRAATS, P.S., ET AL. (2007)** "Interleukin 10: a new risk marker for the development of restenosis after percutaneous coronary intervention". *Genes Immun.* **8**(1):44-50.
- NA K.S., ET AL. (2007)** "Analysis of single nucleotide polymorphisms in Toll-like receptor 4 shows no association with ankylosing spondylitis in a Korean population." *Rheumatol Int.* Nov (ePub).
- NASEEM, H., ET AL. (2007)** "The PTPN22\*C1858T Functional polymorphism is associated with susceptibility to inflammatory polyarthritis, but neither this nor other variants spanning the gene is associated with disease outcome". *Ann. Rheum. Dis.* ePub.
- ONG, K.L., ET AL. (2007)** "Association of F11 receptor gene polymorphisms with central obesity and blood pressure." *J Intern Med.* Dec (ePub).



- POTTER, C., ET AL. (2007)** "Investigation of association between the TRAF family genes and RA susceptibility." *Ann Rheum Dis*. **66**(10):1322-6.
- RIOUX, J. D., ET AL. (2007)** "Genome-wide association study identifies new susceptibility loci for Crohn disease and implicates autophagy in disease pathogenesis." *Nat Genet* **39**(5): 596-604.
- ROHRER, G. A., ET AL. (2007)** "Single nucleotide polymorphisms for pig identification and parentage exclusion." *Anim Genet* **38**(3): 253-8.
- SLADEK, R., ET AL. (2007)** "A genome-wide association study identifies novel risk loci for type 2 diabetes." *Nature* **445**(7130): 881-5.
- SNELGROVE, T., ET AL. (2007)** "Association of toll-like receptor 4 variants and ankylosing spondylitis: a case-control study." *J Rheumatol* **34**(2): 368-70.
- THABET, M. M., ET AL. (2007)** "FCRL3 promoter 169 CC homozygosity is associated with susceptibility to rheumatoid arthritis in Dutch Caucasians." *Ann Rheum Dis* **66**(6): 803-6.
- THOMAS, R. K., ET AL. (2007)**. "High-throughput oncogene mutation profiling in human cancer." *Nat Genet* **39**(3): 347-51.
- TIKKA-KLEEMOLA, P., ET AL. (2007)** "The enhancement of homogenous mass extension reaction: comparison of two enzymes." *Mol Cell Probes* **21**(3): 216-21.
- TINDALL E.A., ET AL. (2007)** "Novel Plexor SNP genotyping technology: comparisons with TaqMan and homogenous MassEXTEND MALDI-TOF mass spectrometry." *Hum Mutat*. **28**(9):922-7.
- TREMELLING, M., ET AL. (2007)** "IL23R variation determines susceptibility but not disease phenotype in inflammatory bowel disease." *Gastroenterology* **132**(5): 1657-64.
- VIVANTE, A., ET AL. (2007)** "High-throughput, sensitive and quantitative assay for the detection of BCR-ABL kinase domain mutations." *Leukemia* 2007; **21**:1318-21.
- VOLKMAN, S. K., ET AL. (2007)** "A genome-wide map of diversity in *Plasmodium falciparum*." *Nat Genet* **39**(1): 113-9.
- ZHAO, Z.Z., ET AL. (2007)** "Genetic variation in tumour necrosis factor and lymphotoxin is not associated with endometriosis in an Australian sample." *Hum Reprod*. **22**(9):2389-97.



## 2006

- ABEL, K., ET AL. (2006)** "Genome-wide SNP association: identification of susceptibility alleles for osteoarthritis." *Autoimmun Rev* **5**(4): 258-63.
- BARROSO, I., ET AL. (2006)** "Meta-analysis of the Gly482Ser variant in PPARGC1A in type 2 diabetes and related phenotypes." *Diabetologia* **49**(3): 501-5.
- BUTT, C., ET AL. (2006)** "PPAR-gamma gene polymorphisms and psoriatic arthritis." *J Rheumatol* **33**(8): 1631-3.
- CHEUNG, B. M., ET AL. (2006)** "Association of hypertension with single nucleotide polymorphisms in the quantitative trait locus for abdominal obesity-metabolic syndrome on chromosome 17." *J Hum Hypertens* **20**(6): 419-25.
- CHOI, C. B., ET AL. (2006)** "The -169C/T polymorphism in FCRL3 is not associated with susceptibility to rheumatoid arthritis or systemic lupus erythematosus in a case-control study of Koreans." *Arthritis Rheum* **54**(12): 3838-41.
- COSTAS, J., ET AL. (2006)** "SUMO4 and MAP3K7IP2 single nucleotide polymorphisms and susceptibility to rheumatoid arthritis." *J Rheumatol* **33**(6): 1048-51.
- DAWES, R., ET AL. (2006)** "Altered CD45 expression in C77G carriers influences immune function and outcome of hepatitis C infection." *J Med Genet* **43**(8): 678-84.
- EYRE, S., ET AL. (2006)** "Association of the FCRL3 gene with rheumatoid arthritis: a further example of population specificity?" *Arthritis Res Ther* **8**(4): R117.
- EYRE, S., ET AL. (2006)** "Investigation of the MHC2TA gene, associated with rheumatoid arthritis in a Swedish population, in a UK rheumatoid arthritis cohort." *Arthritis Rheum* **54**(11): 3417-22.
- GRALLERT, H., ET AL. (2006)** "IL-6 promoter polymorphisms and quantitative traits related to the metabolic syndrome in KORA S4." *Exp Gerontol* **41**(8): 737-45.
- HINKS, A., ET AL. (2006)** "Fine mapping of genes within the IDDM8 region in rheumatoid arthritis." *Arthritis Res Ther* **8**(5): R145.
- KANG, C. P., ET AL. (2006)** "A functional haplotype of the PADI4 gene associated with increased rheumatoid arthritis susceptibility in Koreans." *Arthritis Rheum* **54**(1):90-6.



- KEDDA, M. A., ET AL. (2006)** "ADAM33 haplotypes are associated with asthma in a large Australian population." *Eur J Hum Genet* **14**(9): 1027-36.
- KEMP, S. F., ET AL. (2006)** "Efficacy and safety of mecasermin rinfabate." *Expert Opin Biol Ther* **6**(5): 533-8.
- LAHERMO, P., ET AL. (2006)** "A quality assessment survey of SNP genotyping laboratories." *Hum Mutat* **27**(7): 711-4.
- LIMA, J. J., ET AL. (2006)** "Influence of leukotriene pathway polymorphisms on response to montelukast in asthma." *Am J Respir Crit Care Med* **173**(4): 379-85.
- LIU, Y., ET AL. (2006)** "A functional polymorphism in the lymphotoxin-alpha gene is associated with carotid artery wall thickness: the Diabetes Heart Study." *Eur J Cardiovasc Prev Rehabil* **13**(4): 655-7.
- Lo, Y. M. (2006)** "Recent developments in fetal nucleic acids in maternal plasma: implications to noninvasive prenatal fetal blood group genotyping." *Transfus Clin Biol* **13**(1-2): 50-2.
- MICHIKAWA, Y. ET AL. (2006)** Reliable and fast allele-specific extension of 3'-LNA modified oligonucleotides covalently immobilized on a plastic base, combined with biotin-dUTP mediated optical detection. *Anal Sci* **22**(12):1537-45.
- MORAR, N., ET AL. (2006)** "Investigation of the chromosome 17q25 PSORS2 locus in atopic dermatitis." *J Invest Dermatol* **126**(3): 603-6.
- NATIVIDAD, A., ET AL. (2006)** "A coding polymorphism in matrix metalloproteinase 9 reduces risk of scarring sequelae of ocular *Chlamydia trachomatis* infection." *BMC Med Genet* **7**: 40.
- RAGOSSIS, J., ET AL. (2006)** "Matrix-assisted laser desorption/ionisation, time-of-flight mass spectrometry in genomics research." *PLoS Genet.* **2**(7):e100.
- RAHMAN, P., ET AL. (2006)** "TNFalpha polymorphisms and risk of psoriatic arthritis." *Ann Rheum Dis* **65**(7): 919-23.
- ZHAO, Z. Z., ET AL. (2006)** "KRAS variation and risk of endometriosis." *Mol Hum Reprod* **12**(11): 671-6.



### 2005

- BENTO, J. L., ET AL. (2005)** "Genetic analysis of the GLUT10 glucose transporter (SLC2A10) polymorphisms in Caucasian American type 2 diabetes." *BMC Med Genet* **6**: 42.
- BUTT, C., ET AL. (2005)** "Association of nuclear factor-kappaB in psoriatic arthritis." *J Rheumatol* **32**(9): 1742-4.
- CHEN, J. Y., ET AL. (2005)** "The -844C/T polymorphism in the Fas ligand promoter associates with Taiwanese SLE." *Genes Immun* **6**(2): 123-8.
- COSTAS, J., ET AL. (2005)** "Relative efficiency of the linkage disequilibrium mapping approach in detecting candidate genes for schizophrenia in different European populations." *Genomics* **86**(3): 280-6.
- CRAIG, D. W. AND D. A. STEPHAN (2005)** "Applications of whole-genome high-density SNP genotyping." *Expert Rev Mol Diagn* **5**(2): 159-70.
- EDWARDS, A. O., ET AL. (2005)** "Complement factor H polymorphism and age-related macular degeneration." *Science* **308**(5720): 421-4.
- GHEBRANIOUS, N., ET AL. (2005)** "Detection of ApoE E2, E3 and E4 alleles using MALDI-TOF mass spectrometry and the homogeneous mass-extend technology." *Nucleic Acids Res* **33**(17): e149.
- HAMID, Y. H., ET AL. (2005)** "Studies of relationships between variation of the human G protein-coupled receptor 40 Gene and Type 2 diabetes and insulin release." *Diabet Med* **22**(1): 74-80.
- HEATON, M. P., ET AL. (2005)** "Use of bovine single nucleotide polymorphism markers to verify sample tracking in beef processing." *J Am Vet Med Assoc* **226**(8): 1311-4.
- HEIJMANS, B. T., ET AL. (2005)** "Meta-analysis of four new genome scans for lipid parameters and analysis of positional candidates in positive linkage regions." *Eur J Hum Genet* **13**(10): 1143-53.
- JAREMKO, M., ET AL. (2005)** "MALDI-TOF MS and TaqMan assisted SNP genotyping of DNA isolated from formalin-fixed and paraffin-embedded tissues (FFPET)." *Hum Mutat* **25**(3): 232-8.



- LIAO, H. K., ET AL. (2005)** "Parallel minisequencing followed by multiplex matrix-assisted laser desorption/ionization mass spectrometry assay for beta-thalassemia mutations." *J Hum Genet* **50**(3): 139-50.
- LIU, J., ET AL. (2005)** "SARS transmission pattern in Singapore reassessed by viral sequence variation analysis." *PLoS Med* **2**(2): e43.
- MIN, J. L., ET AL. (2005)** "Association of the Frizzled-related protein gene with symptomatic osteoarthritis at multiple sites." *Arthritis Rheum* **52**(4): 1077-80.
- MUELLER, J. C., ET AL. (2005)** "Linkage disequilibrium patterns and tag SNP transferability among European populations." *Am J Hum Genet* **76**(3): 387-98.
- NATIVIDAD, A., ET AL. (2005)** "Risk of trachomatous scarring and trichiasis in Gambians varies with SNP haplotypes at the interferon-gamma and interleukin-10 loci." *Genes Immun* **6**(4): 332-40.
- NORTON, N., ET AL. (2005)** "No evidence for association between polymorphisms in GRM3 and schizophrenia." *BMC Psychiatry* **5**: 23.
- RAHMAN, P., ET AL. (2005)** "Association of SEEK1 and psoriatic arthritis in two distinct Canadian populations." *Ann Rheum Dis* **64**(9): 1370-2.
- SADETZKI, S., ET AL. (2005)** "Genotyping of patients with sporadic and radiation-associated meningiomas." *Cancer Epidemiol Biomarkers Prev* **14**(4): 969-76.
- SHI, J., ET AL. (2005)** "Cyclooxygenase-1 gene polymorphisms in patients with different asthma phenotypes and atopy." *Eur Respir J* **26**(2): 249-56.
- STARINSKY, S., ET AL. (2005)** "Genotype phenotype correlations in Israeli colorectal cancer patients." *Int J Cancer* **114**(1): 58-73.
- TSUI, N. B., ET AL. (2005)** "Detection of trisomy 21 by quantitative mass spectrometric analysis of single-nucleotide polymorphisms." *Clin Chem* **51**(12): 2358-62.
- VAN PUIJENBROEK, M., ET AL. (2005)** "Mass spectrometry-based loss of heterozygosity analysis of single-nucleotide polymorphism loci in paraffin embedded tumors using the MassEXTEND assay: single-nucleotide polymorphism loss of heterozygosity analysis of the protein tyrosine phosphatase receptor type J in familial colorectal cancer." *J Mol Diagn* **7**(5): 623-30.



**WEIDINGER, S., ET AL. (2005)** "Association study of mast cell chymase polymorphisms with atopy." *Allergy* **60**(10): 1256-61.

**WU, H., ET AL. (2005)** "Association analysis of the R620W polymorphism of protein tyrosine phosphatase PTPN22 in systemic lupus erythematosus families: increased T allele frequency in systemic lupus erythematosus patients with autoimmune thyroid disease." *Arthritis Rheum* **52**(8): 2396-402.

**ZHOU, X. F., ET AL. (2005)** "Polymorphisms in the promoter region of catalase gene and essential hypertension." *Dis Markers* **21**(1): 3-7.

**ZIPPERLEN, K., ET AL. (2005)** "Association of TNF-alpha polymorphisms in Crohn disease." *Hum Immunol* **66**(1): 56-9.

### 2004

**BINDER, E. B., ET AL. (2004)** "Polymorphisms in FKBP5 are associated with increased recurrence of depressive episodes and rapid response to antidepressant treatment." *Nat Genet* **36**(12): 1319-25.

**BUYSE, I. M., ET AL. (2004)** "Use of MALDI-TOF mass spectrometry in a 51-mutation test for cystic fibrosis: evidence that 3199del6 is a disease-causing mutation." *Genet Med* **6**(5): 426-30.

**DING, C., ET AL. (2004)** "MS analysis of single-nucleotide differences in circulating nucleic acids: Application to noninvasive prenatal diagnosis." *Proc Natl Acad Sci USA* **101**(29): 10762-7.

**DOWNES, K., ET AL. (2004)** "SNP allele frequency estimation in DNA pools and variance components analysis." *Biotechniques* **36**(5): 840-5.

**DUFFY, D. L., ET AL. (2004)** "Interactive effects of MC1R and OCA2 on melanoma risk phenotypes." *Hum Mol Genet* **13**(4): 447-61.

**GOHLKE, H., ET AL. (2004)** "Association of the interleukin-1 receptor antagonist gene with asthma." *Am J Respir Crit Care Med* **169**(11): 1217-23.

**JURINKE, C., ET AL. (2004)** "MALDI-TOF mass spectrometry: a versatile tool for high-performance DNA analysis." *Mol Biotechnol* **26**(2): 147-64.



**JUSTENHOVEN, C., ET AL. (2004)** "ERCC2 genotypes and a corresponding haplotype are linked with breast cancer risk in a German population." *Cancer Epidemiol Biomarkers Prev* **13**(12): 2059-64.

**LUO, C., ET AL. (2004)** "High throughput SNP genotyping with two mini-sequencing assays." *Acta Biochim Biophys Sin (Shanghai)* **36**(6): 379-84.

**NAKAI, K., ET AL. (2004)** "Ethnic differences of coronary artery disease-associated SNPs in two Israeli healthy populations using MALDI-TOF mass spectrometry." *Life Sci* **75**(8): 1003-10.

**NELSON, M. R., ET AL. (2004)** "Large-scale validation of single nucleotide polymorphisms in gene regions." *Genome Res* **14**(8): 1664-8.

**NIU, T. AND Z. HU (2004)** "SNPicker: a graphical tool for primer picking in designing mutagenic endonuclease restriction assays." *Bioinformatics* **20**(17): 3263-5.

**SHI, J. Y., ET AL. (2004)** "Association between single nucleotide polymorphisms in deoxycytidine kinase and treatment response among acute myeloid leukaemia patients." *Pharmacogenetics* **14**(11): 759-68.

**SILANDER, K., ET AL. (2004)** "Genetic variation near the hepatocyte nuclear factor-4 alpha gene predicts susceptibility to type 2 diabetes." *Diabetes* **53**(4): 1141-9.

**SPEIRS, H. J., ET AL. (2004)** "Association of G-protein-coupled receptor kinase 4 haplotypes, but not HSD3B1 or PTP1B polymorphisms, with essential hypertension." *J Hypertens* **22**(5): 931-6.

**SPEIRS, H. J. AND B. J. MORRIS (2004)** "WNK4 intron 10 polymorphism is not associated with hypertension." *Hypertension* **43**(4): 766-8.

**WALLEY, A. J., ET AL. (2004)** "Interleukin-1 gene cluster polymorphisms and susceptibility to clinical malaria in a Gambian case-control study." *Eur J Hum Genet* **12**(2): 132-8.



### 2003

- ADAMS, G. T., ET AL. (2003)** "Genetic risk factors for cerebrovascular disease in children with sickle cell disease: design of a case-control association study and genomewide screen." *BMC Med Genet* **4**: 6.
- BRAUN, A., ET AL. (2003)** "Technology challenges in screening single gene disorders." *Eur J Pediatr* **162 Suppl 1**: S13-6.
- CUI, J., ET AL. (2003)** "Association of polymorphisms in the promoter region of the PNMT gene with essential hypertension in African Americans but not in whites." *Am J Hypertens* **16**(10): 859-63.
- DING, C. AND C. R. CANTOR (2003)** "Direct molecular haplotyping of long-range genomic DNA with M1-PCR." *Proc Natl Acad Sci USA* **100**(13): 7449-53.
- HERBON, N., ET AL. (2003)** "High-resolution SNP scan of chromosome 6p21 in pooled samples from patients with complex diseases." *Genomics* **81**(5): 510-8.
- LATTARD, V., ET AL. (2003)** "Two new polymorphisms of the FMO3 gene in Caucasian and African-American populations: comparative genetic and functional studies." *Drug Metab Dispos* **31**(7): 854-60.
- MAKSYMOWYCH, W. P., ET AL. (2003)** "High-throughput single-nucleotide polymorphism analysis of the IL1RN locus in patients with ankylosing spondylitis by matrix-assisted laser desorption ionization-time-of-flight mass spectrometry." *Arthritis Rheum* **48**(7): 2011-8.
- SILANDER, K., ET AL. (2003)** "Analysis of genetic variation in the GenomEUtwin project." *Twin Res* **6**(5): 391-8.
- STORM, N., ET AL. (2003)** "MALDI-TOF mass spectrometry-based SNP genotyping." *Methods Mol Biol* **212**: 241-62.
- WILTSHIRE, T., ET AL. (2003)** "Genome-wide single-nucleotide polymorphism analysis defines haplotype patterns in mouse." *Proc Natl Acad Sci USA* **100**(6): 3380-5.



### 2002

- BANSAL, A., ET AL. (2002)** "Association testing by DNA pooling: an effective initial screen." *Proc Natl Acad Sci USA* **99**(26): 16871-4.
- FREKING, B. A., ET AL. (2002)** "Identification of the single base change causing the callipyge muscle hypertrophy phenotype, the only known example of polar overdominance in mammals." *Genome Res* **12**(10): 1496-506.
- GABRIEL, S. B., ET AL. (2002)** "The structure of haplotype blocks in the human genome." *Science* **296**(5576): 2225-9.
- HEATON, M. P., ET AL. (2002)** "Selection and use of SNP markers for animal identification and paternity analysis in U.S. beef cattle." *Mamm Genome* **13**(5): 272-81.
- JURINKE, C., ET AL. (2002)** "The use of MassARRAY technology for high throughput genotyping." *Adv Biochem Eng Biotechnol* **77**: 57-74.
- JURINKE, C., ET AL. (2002)** "Automated genotyping using the DNA MassArray technology." *Methods Mol Biol* **187**: 179-92.
- LE HELLARD, S., ET AL. (2002)** "SNP genotyping on pooled DNAs: comparison of genotyping technologies and a semi automated method for data storage and analysis." *Nucleic Acids Res* **30**(15): e74.
- MOHLKE, K. L., ET AL. (2002)** "High-throughput screening for evidence of association by using mass spectrometry genotyping on DNA pools." *Proc Natl Acad Sci USA* **99**(26): 16928-33.
- NAKAI, K., ET AL. (2002)** "Highly multiplexed genotyping of coronary artery disease-associated SNPs using MALDI-TOF mass spectrometry." *Hum Mutat* **20**(2): 133-8.
- PAGE, B. T., ET AL. (2002)** "Evaluation of single-nucleotide polymorphisms in CAPN1 for association with meat tenderness in cattle." *J Anim Sci* **80**(12): 3077-85.
- PFEIFER, G. P., ET AL. (2002)** "Tobacco smoke carcinogens, DNA damage and p53 mutations in smoking-associated cancers." *Oncogene* **21**(48): 7435-51.
- SHAM, P., ET AL. (2002)** "DNA Pooling: a tool for large-scale association studies." *Nat Rev Genet* **3**(11): 862-71.



**SKLAR, P., ET AL. (2002).** "Family-based association study of 76 candidate genes in bipolar disorder: BDNF is a potential risk locus. Brain-derived neurotrophic factor." *Mol Psychiatry* **7**(6): 579-93.

**WERNER, M., ET AL. (2002)** "Large-scale determination of SNP allele frequencies in DNA pools using MALDI-TOF mass spectrometry." *Hum Mutat* **20**(1): 57-64.

### 2001

**CASHMAN, J. R., ET AL. (2001)** "Population distribution of human flavin-containing monooxygenase form 3: gene polymorphisms." *Drug Metab Dispos* **29**(12): 1629-37.

**DOUGLAS, J. A., ET AL. (2001)** "The peroxisome proliferator-activated receptor-gamma2 Pro12A1a variant: association with type 2 diabetes and trait differences." *Diabetes* **50**(4): 886-90.

**HEATON, M. P., ET AL. (2001)** "Interleukin-8 haplotype structure from nucleotide sequence variation in commercial populations of U.S. beef cattle." *Mamm Genome* **12**(3): 219-26.

**HEATON, M. P., ET AL. (2001)** "Estimation of DNA sequence diversity in bovine cytokine genes." *Mamm Genome* **12**(1): 32-7.

**JURINKE, C., ET AL. (2001)** "Automated genotyping using the DNA MassArray technology." *Methods Mol Biol* **170**: 103-16.

### 2000

**LEUSHNER, J. AND N. H. CHIU (2000)** "Automated mass spectrometry: a revolutionary technology for clinical diagnostics." *Mol Diagn* **5**(4): 341-8.

